

CLINICAL VIGNETTE

A 21-Year-Old with a Positive Troponin

Minisha Kochar, M.D.; and Michelle Sangalang, M.D.

Case Presentation

The patient is a 21-year-old college student with no medical history who came into the hospital emergency room with chest discomfort. He described this discomfort as a non-radiating substernal chest pressure. There was no positional component to his symptoms, and there were no associated palpitations or dyspnea. He noted that the pain had been present for 3 months continuously, but it became worse when he consumed beer as he had done that night.

Upon arrival, he was found to be diaphoretic but otherwise stable. An ECG done showed sinus bradycardia at 55 bpm with ST elevation in all leads. A troponin was drawn and resulted 0.6 ng/mL (elevated), and the patient was admitted to the hospital. Overnight, serial troponins peaked at 2.6 ng/mL and then started to trend down. An echocardiogram done in the emergency room showed normal systolic function without any valvular abnormalities or identifiable cardiomyopathy. There was no pericardial effusion described.

The working diagnosis at this time was myocarditis and a cardiac magnetic resonance (CMR) imaging study was performed the next day. This showed normal pericardial thickness without delayed hyperenhancement; however, there was marked mid-myocardial delayed enhancement involving the entire septum. There was also subepicardial enhancement of the basal and mid-anterolateral segments.

The patient was diagnosed with myopericarditis. He was discharged on ibuprofen, colchicine, and omeprazole as well as 3 months of heavy activity restriction.

Discussion

Myocarditis is an inflammatory disease of cardiac muscle. Symptoms range from simply fatigue, to chest pain, cardiac arrhythmias, heart block, heart failure, or even sudden cardiac death. The presumed etiology for sudden cardiac death in these patients is ventricular tachycardia or atrial fibrillation.¹⁻⁴ If the inflammation expands to the pericardium, there may be a pleuritic component to the chest pain and sometimes a pericardial effusion. The presentation of myocarditis may be acute, subacute, or chronic.

Laboratory studies in patients with myocarditis often show an elevated troponin. In patients clinically in heart failure, the brain natriuretic peptide (BNP) may be elevated as well. The presenting ECG in patients with myocarditis may be normal or

have ST abnormalities that mimic pericarditis or acute myocardial infarction.⁵⁻⁹

The echocardiogram is typically normal in acute cases of myocarditis; however, it may show a dilated cardiomyopathy in patients presenting with heart failure or may show regional wall motion abnormalities as this may represent localized inflammation.^{7,10} Coronary angiography is often times done in these patients as chest pain, elevated troponin, and ECG changes are concerning for myocardial infarction (MI). Angiography typically shows normal coronary arteries, especially since the usual age of onset of myocarditis ranges from 20-50 years old, younger than when most patients present with MI.^{7,11}

Cardiac Magnetic Resonance (CMR) imaging is a useful tool as this imaging modality allows detection of various features of myocarditis. These include assessment of left ventricular size and geometry, as well as systolic and diastolic function. Delayed enhancement of the myocardium is the most useful as this indicates areas of the heart muscle that are affected by inflammation.^{12,13} Edema, myocyte necrosis, and scar are not only identified but also are localized to specific regions within the myocardium. Associated pericardial disease can also be identified with thickening of the pericardium and effusions visualized.^{13,14}

While CMR is useful in certain populations with myocarditis, the definitive diagnosis of myocarditis as defined by the World Health Organization and the International Society and Federation of Cardiology (WHO/ISFC) is by established histologic criteria on endomyocardial biopsy and immunohistologic stains and PCR demonstrating a viral genome.¹⁵⁻¹⁹ Given that myocarditis may be focally distributed, endomyocardial biopsy is sometimes guided by CMR to optimize the diagnostic yield.²⁰

The diagnosis of myocarditis should be differentiated from other, similar-presenting myocardial disease processes as the treatment differs. These include eosinophilic myocarditis, amyloidosis, hemochromatosis, and Giant Cell myocarditis, which is auto-immune mediated and may respond to immunosuppressive therapy.²¹

The etiology of myocarditis is due to a variety of infectious and non-infectious causes, but in the absence of autoimmune disease or a hypersensitivity reaction, viruses are the frequently presumed cause. The most common viruses being

enteroviruses, Parvovirus B-19, and human herpes virus 6 with viral genomes often detected by PCR within the myocardium of affected patients.^{20,22-24}

Treatment of viral myocarditis is usually supportive in some instances with colchicine. NSAIDs have been found to be ineffective.²⁵⁻²⁷ In patients with acute heart failure, standard heart failure treatment is recommended with diuresis as needed and early initiation of an ACE inhibitor. Beta-blocker therapy is usually avoided in acute, decompensated heart failure but later, bisoprolol, extended release metoprolol, or carvedilol are an intrinsic part of therapy.²⁸

The long-term prognosis of myocarditis is variable. Worse outcomes have been reported in patients with biopsy-proven myocarditis as well as those with viral myocarditis with the viral genome detected on heart biopsy.^{15,29,30} VAD therapy can be considered in patients where HF is intractable to medical therapy or when cardiogenic shock does not respond to medical therapy.^{31,32}

Myocarditis should be suspected in patients presenting with an elevated troponin, heart failure, cardiogenic shock, or arrhythmias with no other identifiable cause. Patients may also give a history of a recent viral, bacterial, or parasitic infection. While endomyocardial biopsy is the diagnostic gold-standard, CMR provides a useful tool to identify and localize inflamed myocardium and thus may help determine medical treatment.

REFERENCES

1. **Theleman KP, Kuiper JJ, Roberts WC.** Acute myocarditis (predominately lymphocytic) causing sudden death without heart failure. *Am J Cardiol.* 2001 Nov 1;88(9):1078-83. PubMed PMID: 11704019.
2. **Drory Y, Turetz Y, Hiss Y, Lev B, Fisman EZ, Pines A, Kramer MR.** Sudden unexpected death in persons less than 40 years of age. *Am J Cardiol.* 1991 Nov 15;68(13):1388-92. PubMed PMID: 1951130.
3. **Maron BJ, Carney KP, Lever HM, Lewis JF, Barac I, Casey SA, Sherrid MV.** Relationship of race to sudden cardiac death in competitive athletes with hypertrophic cardiomyopathy. *J Am Coll Cardiol.* 2003 Mar 19;41(6):974-80. PubMed PMID: 12651044.
4. **Eckart RE, Scoville SL, Campbell CL, Shry EA, Stajduhar KC, Potter RN, Pearse LA, Virmani R.** Sudden death in young adults: a 25-year review of autopsies in military recruits. *Ann Intern Med.* 2004 Dec 7;141(11):829-34. PubMed PMID:15583223.
5. **Angelini A, Calzolari V, Calabrese F, Boffa GM, Maddalena F, Chioin R, Thiene G.** Myocarditis mimicking acute myocardial infarction: role of endomyocardial biopsy in the differential diagnosis. *Heart.* 2000 Sep;84(3):245-50. PubMed PMID: 10956283; PubMed Central PMCID: PMC1760950.
6. **Dec GW Jr, Waldman H, Southern J, Fallon JT, Hutter AM Jr, Palacios I.** Viral myocarditis mimicking acute myocardial infarction. *J Am Coll Cardiol.* 1992 Jul;20(1):85-9. PubMed PMID: 1607543.
7. **Sarda L, Colin P, Boccara F, Daou D, Lebtahi R, Faraggi M, Nguyen C, Cohen A, Slama MS, Steg PG, Le Guludec D.** Myocarditis in patients with clinical

presentation of myocardial infarction and normal coronary angiograms. *J Am Coll Cardiol.* 2001 Mar 1;37(3):786-92. PubMed PMID: 11693753.

8. **Miklozek CL, Crumacker CS, Royal HD, Come PC, Sullivan JL, Abelmann WH.** Myocarditis presenting as acute myocardial infarction. *Am Heart J.* 1988 Apr;115(4):768-76. PubMed PMID: 3354405.
9. **Karjalainen J, Heikkilä J.** Incidence of three presentations of acute myocarditis in young men in military service. A 20-year experience. *Eur Heart J.* 1999 Aug;20(15):1120-5. PubMed PMID: 10413642.
10. **Imazio M, Brucato A, Barbieri A, Ferroni F, Maestroni S, Ligabue G, Chinaglia A, Cumetti D, Della Casa G, Bonomi F, Mantovani F, Di Corato P, Lugli R, Faletti R, Leuzzi S, Bonamini R, Modena MG, Belli R.** Good prognosis for pericarditis with and without myocardial involvement: results from a multicenter, prospective cohort study. *Circulation.* 2013 Jul 2;128(1):42-9. doi:10.1161/CIRCULATIONAHA.113.001531. Epub 2013 May 24. PubMed PMID: 23709669.
11. **Blauwet LA, Cooper LT.** Myocarditis. *Prog Cardiovasc Dis.* 2010 Jan-Feb;52(4):274-88. doi: 10.1016/j.pcad.2009.11.006. Review. PubMed PMID:20109598.
12. **Laissy JP, Messin B, Varenne O, Iung B, Karila-Cohen D, Schouman-Claeys E, Steg PG.** MRI of acute myocarditis: a comprehensive approach based on various imaging sequences. *Chest.* 2002 Nov;122(5):1638-48. PubMed PMID: 12426265.
13. **Friedrich MG, Strohm O, Schulz-Menger J, Marciniak H, Luft FC, Dietz R.** Contrast media-enhanced magnetic resonance imaging visualizes myocardial changes in the course of viral myocarditis. *Circulation.* 1998 May 12;97(18):1802-9. PubMed PMID: 9603535.
14. **Friedrich MG, Marcotte F.** Cardiac magnetic resonance assessment of myocarditis. *Circ Cardiovasc Imaging.* 2013 Sep;6(5):833-9. doi:10.1161/CIRCIMAGING.113.000416. PubMed PMID: 24046380.
15. **Grün S, Schumm J, Greulich S, Wagner A, Schneider S, Bruder O, Kispert EM, Hill S, Ong P, Klingel K, Kandolf R, Sechtem U, Mahrholdt H.** Long-term follow-up of biopsy-proven viral myocarditis: predictors of mortality and incomplete recovery. *J Am Coll Cardiol.* 2012 May 1;59(18):1604-15. doi:10.1016/j.jacc.2012.01.007. Epub 2012 Feb 22. PubMed PMID: 22365425.
16. **Caforio AL, Pankuweit S, Arbustini E, Basso C, Gimeno-Blanes J, Felix SB, Fu M, Heliö T, Heymans S, Jahns R, Klingel K, Linhart A, Maisch B, McKenna W, Mogensen J, Pinto YM, Ristic A, Schultheiss HP, Seggewiss H, Tavazzi L, Thiene G, Yilmaz A, Charron P, Elliott PM; European Society of Cardiology Working Group on Myocardial and Pericardial Diseases.** Current state of knowledge on aetiology, diagnosis, management, and therapy of myocarditis: a position statement of the European Society of Cardiology Working Group on Myocardial and Pericardial Diseases. *Eur Heart J.* 2013 Sep;34(33):2636-48, 2648a-2648d.

- doi:10.1093/eurheartj/eh210. Epub 2013 Jul 3. PubMed PMID: 23824828.
17. **Richardson P, McKenna W, Bristow M, Maisch B, Mautner B, O'Connell J, Olsen E, Thiene G, Goodwin J, Gyarfás I, Martin I, Nordet P.** Report of the 1995 World Health Organization/International Society and Federation of Cardiology Task Force on the Definition and Classification of cardiomyopathies. *Circulation*. 1996 Mar 1;93(5):841-2. PubMed PMID: 8598070.
 18. **Maron BJ, Towbin JA, Thiene G, Antzelevitch C, Corrado D, Arnett D, Moss AJ, Seidman CE, Young JB; American Heart Association; Council on Clinical Cardiology, Heart Failure and Transplantation Committee; Quality of Care and Outcomes Research and Functional Genomics and Translational Biology Interdisciplinary Working Groups; Council on Epidemiology and Prevention.** Contemporary definitions and classification of the cardiomyopathies: an American Heart Association Scientific Statement from the Council on Clinical Cardiology, Heart Failure and Transplantation Committee; Quality of Care and Outcomes Research and Functional Genomics and Translational Biology Interdisciplinary Working Groups; and Council on Epidemiology and Prevention. *Circulation*. 2006 Apr 11;113(14):1807-16. Epub 2006 Mar 27. PubMed PMID: 16567565.
 19. **Elliott P, Andersson B, Arbustini E, Bilinska Z, Cecchi F, Charron P, Dubourg O, Kühl U, Maisch B, McKenna WJ, Monserrat L, Pankuweit S, Rapezzi C, Seferovic P, Tavazzi L, Keren A.** Classification of the cardiomyopathies: a position statement from the European Society Of Cardiology Working Group on Myocardial and Pericardial Diseases. *Eur Heart J*. 2008 Jan;29(2):270-6. Epub 2007 Oct 4. PubMed PMID: 17916581.
 20. **Mahrholdt H, Goedecke C, Wagner A, Meinhardt G, Athanasiadis A, Vogelsberg H, Fritz P, Klingel K, Kandolf R, Sechtem U.** Cardiovascular magnetic resonance assessment of human myocarditis: a comparison to histology and molecular pathology. *Circulation*. 2004 Mar 16;109(10):1250-8. Epub 2004 Mar 1. PubMed PMID:14993139.
 21. **Cooper LT Jr, Hare JM, Tazelaar HD, Edwards WD, Staling RC, Deng MC, Menon S, Mullen GM, Jaski B, Bailey KR, Cunningham MW, Dec GW; Giant Cell Myocarditis Treatment Trial Investigators.** Usefulness of immunosuppression for giant cell myocarditis. *Am J Cardiol*. 2008 Dec 1;102(11):1535-9. doi:10.1016/j.amjcard.2008.07.041. Epub 2008 Sep 18. PubMed PMID: 19026310; PubMed Central PMCID: PMC2613862.
 22. **Bowles NE, Ni J, Kearney DL, Pauschinger M, Schultheiss HP, McCarthy R, Hare J, Bricker JT, Bowles KR, Towbin JA.** Detection of viruses in myocardial tissues by polymerase chain reaction. evidence of adenovirus as a common cause of myocarditis in children and adults. *J Am Coll Cardiol*. 2003 Aug 6;42(3):466-72. PubMed PMID: 12906974.
 23. **Kindermann I, Kindermann M, Kandolf R, Klingel K, Bültmann B, Müller T, Lindinger A, Böhm M.** Predictors of outcome in patients with suspected myocarditis. *Circulation*. 2008 Aug 5;118(6):639-48. doi:10.1161/CIRCULATIONAHA.108.769489. Epub 2008 Jul 21. Erratum in: *Circulation*. 2008 Sep 16;118(12): e493. PubMed PMID: 18645053.
 24. **Schultheiss HP et al.** The effect of subcutaneous treatment with interferon-beta-1b over 24 weeks on safety, virus elimination, and clinical outcome in patients with chronic viral cardiomyopathy. Presented November 11th, 2008. AHA Annual Scientific Sessions Late Breaking Clinical Trials III.
 25. **Costanzo-Nordin MR, Reap EA, O'Connell JB, Robinson JA, Scanlon PJ.** A nonsteroid anti-inflammatory drug exacerbates Coxsackie B3 murine myocarditis. *J Am Coll Cardiol*. 1985 Nov;6(5):1078-82. PubMed PMID: 2995470.
 26. **Rezkalla S, Khatib G, Khatib R.** Coxsackievirus B3 murine myocarditis: deleterious effects of nonsteroidal anti-inflammatory agents. *J Lab Clin Med*. 1986 Apr;107(4):393-5. PubMed PMID: 2420912.
 27. **Khatib R, Reyes MP, Smith F, Khatib G, Rezkalla S.** Enhancement of coxsackievirus B4 virulence by indomethacin. *J Lab Clin Med*. 1990 Jul;116(1):116-20. PubMed PMID: 1695914.
 28. **Rezkalla S, Kloner RA, Khatib G, Khatib R.** Effect of delayed captopril therapy on left ventricular mass and myonecrosis during acute coxsackievirus murine myocarditis. *Am Heart J*. 1990 Dec;120(6 Pt 1):1377-81. PubMed PMID: 2174203.
 29. **Caforio AL, Calabrese F, Angelini A, Tona F, Vinci A, Bottaro S, Ramondo A, Carturan E, Illiceto S, Thiene G, Daliento L.** A prospective study of biopsy-proven myocarditis: prognostic relevance of clinical and aetiopathogenetic features at diagnosis. *Eur Heart J*. 2007 Jun;28(11):1326-33. Epub 2007 May 9. PubMed PMID:17493945.
 30. **Magnani JW, Danik HJ, Dec GW Jr, DiSalvo TG.** Survival in biopsy-proven myocarditis: a long-term retrospective analysis of the histopathologic, clinical, and hemodynamic predictors. *Am Heart J*. 2006 Feb;151(2):463-70. PubMed PMID:16442915.
 31. **Rockman HA, Adamson RM, Dembitsky WP, Bonar JW, Jaski BE.** Acute fulminant myocarditis: long-term follow-up after circulatory support with left ventricular assist device. *Am Heart J*. 1991 Mar;121(3 Pt 1):922-6. PubMed PMID: 2000764.
 32. **Chen JM, Spanier TB, Gonzalez JJ, Marelli D, Flannery MA, Tector KA, Cullinane S, Oz MC.** Improved survival in patients with acute myocarditis using external pulsatile mechanical ventricular assistance. *J Heart Lung Transplant*. 1999 Apr;18(4):351-7. PubMed PMID: 10226900.

Submitted May 4, 2016